

In the Claims:

Please amend claims 25 and 30 as follows:

1-18. (Cancelled)

19. (Withdrawn) A liquid crystal display comprising:

a first substrate having a first resin layer formed thereon;

a second substrate having a second resin layer formed thereon;

a columnar spacer formed as a combination of the first and second resin

layers by combining the first and second substrates; and

a liquid crystal sealed between the first and second substrates.

20-22. (Cancelled)

23. (Original) A liquid crystal display comprising:

a thin film transistor substrate including a first substrate, a plurality of bus lines formed on the first substrate such that they intersect each other, pixel regions defined by the bus lines, a thin film transistor formed in each of the pixel regions, a resin color filter layer formed in each of the pixel regions, and a pixel electrode formed in each of the pixel regions;

a common electrode substrate including a second substrate different from the first substrate in the thickness or material and a common electrode formed on the second substrate, the common electrode substrate being provided in a face-to-face relationship with the first substrate; and

a liquid crystal sealed between the thin film transistor substrate and the common electrode substrate.

24. (Original) A liquid crystal display according to claim 23, wherein the second substrate has a thickness smaller than that of the first substrate.

25. (Currently amended) A liquid crystal display according to claim 23, wherein the second substrate is lighter in weight than the first substrate.

26. (Original) A liquid crystal display according to claim 23, wherein the second substrate is formed from a glass material including alkaline components.

27. (Original) A liquid crystal display according to claim 26, wherein the glass material includes 1 % or more alkaline components.

28. (Original) A liquid crystal display according to claim 23, wherein the second substrate is formed from a resin material.

29. (Original) A liquid crystal display according to claim 23, further comprising a columnar spacer for maintaining a gap between the thin film transistor substrate and the common electrode substrate.

30. (Currently amended) A liquid crystal display according to claim 23, wherein the thin film transistor substrate is located closer to adjacent to a display side.

31. (Original) A liquid crystal display according to claim 30, wherein at least surfaces of the bus lines facing the first substrate is formed from a low reflection material.

32. (Original) A liquid crystal display according to claim 30, wherein at least surfaces of a drain electrode and a source electrode of the thin film transistor facing the first substrate are formed from a low reflection material.